



ABRASIVES CHEMICALS & MACHINES

FOR

MARBLE, GRANITE, STONE TERRAZZO, CONCRETE & TILE

WE PROVIDE SOLUTIONS



INDEX



INDEX	
ABOUT US	03
ABRASIVES	• • • • • • • • • • • • • • • • • • • •
GRANITE POLISHING FICKERT ABRASIVES	04
GRANITE POLISHING APPLICATIONS	
GRANITE POLISHING 8" (200mm) PLATES	06
GRANITE POLISHING APPLICATIONS-8" PLATES	
FRANKFURT GRINDING AND POLISHING ABRASIVES.	08
FRANKFURT POLISHING APPLICATIONS	09
EDGE POLISHING ABRASIVES 4-5-6"	10
EDGE POLISHING & CHAUKHAT (DOOR FRAME) POLISHING ABRASIVES FOR LINE POLISHER & HAND POLISHER	11
FLEXIBLE & RIGID RESIN BOND DIAMOND PADS 1-2-3-4-5-6-7-8"	12-13
CONCRETE GRINDING & POLISHING ABRASIVES & TOOLS SERIES	
CONCRETE GRINDING ABRASIVES & TOOLS APPLICATIONS	15
SURFACE PREPARATION TOOLS	16
SURFACE FINISHES RIVER-ANTIQUE-LITCHI-LEATHER-LAPPATO APPLICATION	17
NON WOVEN PADS.	18
OTHER GRINDING AND POLISHING ABRASIVES	19
CHEMICALS	
GLUES, MASTICS & ADHESIVES	
POLYESTER, EPOXY RESINS AND PIGMENTS	
EPOXY RESINS & GELS	
POLISHING POWDERS, CREAMS & LIQUIDS	
PENETRATING SEALERS.	
DENSIFIERS & HARDENERS.	
SHINERS AND WAXES	
STAIN REMOVERS	
STONE CARE CLEANERS.	
MIRROR POLISH OF CONCRETE, MARBLE & GRANITE	
SINGLE DISC MACHINES	
FLOOR GRINDING & POLISHING MACHINES	
CLEANING MACHINES	
FLOOR GRINDING & POLISHING MACHINES	
TROWEL POLISHING SYSTEM & CONCRETE LAYING MACHINES	
SPARE PARTS AND ACCESSORIES	39
CLEANING TOOLS, INDUSTRIAL DUST COLLECTOR PARTS & ACCESSORIES	
CUTTING & GRINDING WHEELS	
CUTTING & GRINDING WHEELS	
SAW BLADES & CUP WHEELS	
GRINDING WHEELS & ENGRAVING TOOLS	
CONTACT US	44



ABOUT US



Mr. AALOKE SURIE (Founder)

Surie Polex was established in 1985, by our Founder Mr. Aaloke Surie. He is a Mechanical Engineer trained in IIT-Mumbai and RWTH-Aachen Germany. His vision was to become the market leader and provide high quality, innovative and sustainable products that empower our customers.





Mr. SACHIN SURIE (CEO)

Mr. Sachin Surie is the Chief Executive Officer. He is a Mechanical Engineer from the Ohio State University, USA. He joined the company in 2004 and has 21 years of experience in designing, developing and manufacturing abrasives, machines and chemicals for all types of surfaces.


SCALE OF MANUFACTURING







1000+ employees



10+ product lines.



PRODUCT RANGE

Surie Polex products include Diamond Pads,
Diamond Abrasives, Silicon Carbide Abrasives,
Floor Polishing Machines, Stone Glues, Epoxy
Resins, Polyester Resins, Penetrating Sealers,
Densifiers, Hardeners, Waxes and Cleaners for
Laying, Installation, Polishing, Treatment,
Protection and Maintenance of Marble,
Granite, Concrete, Terrazzo & Tile.



NETWORK

Surie Polex has an excellent network of sales and distribution in all parts of India and in major countries around the globe for its extensive range of granite, marble, and concrete polishing products. With complete in-house technology, Surie Polex is in a position to adapt to different market requirements.



GRANITE POLISHING FICKERT ABRASIVES







GRANITE POLISHING APPLICATIONS



	GRANITE LPM SERIES	LPI	M-GR	ANIT	E DIAI	MONI	POL	ISHIN	IG-FI	CKER	RT SE	QUEI	NCE
	FICKERT & PLANETARY GRINDING ABRASIVES FICKERT METAL BOND DIAMOND ABRASIVES	GRIN	IDING B	FORE E	POXY	TRANSPARENT EPOXY WITH CRACK FILL				DIRECT POLISH			
	DP6R DP4R DR1MSA/DR4MSA 140 & 170mm	HEAD	9 HEAD	12 HEAD	16 HEAD	HEAD	9 HEAD	12 HEAD	16 HEAD	HEAD NO.	9 HEAD	12 HEAD	16 HEAD
		NO. 1	M-24	M-24	M-24	NO. 1	R1-ER-1	R1-ER-1	R1-ER-O	NU.	IIEAD	IICAD	
		2	M-36	M-36	M-36	2	R-400	R1-ER-2	R1-ER-1	1	M-46	M-46	M-36
		3	M-46	M-46	M-36								
	IEW.	4	M-60	M-60	M-46	3	R-800	R-400	R1-ER-2	2	M-60	M-60	M-46
Ų	EPOXY REMOVER SERIES	5	M-80	M-80	M-46	4	R-1200	R-600	R-400				
	R1-ER-0/R1-ER-1/R1-ER-2	6	M-100	M-100	M-60	5	R-1500	R-800	R-600	3	M-100	M-80	M-60
		7	M-200	M-120	M-80	6	R-3000	R-1200	R-800				
		8	R-100	M-150	M-100	7	R-5000	R-1500	R-1200	4	M-200	M-100	M-80
		9	R-200	M-200	M-120							W 100	
		10	-	M-300	M-150	8	LUX-D51	R-3000	R-1500		D 200		M-100
	RESIN BOND DIAMOND	11	-	R-100 R-200	M-200 M-300	9	LUX-D51	R-5000	R-2000	5	R-200	M-200	/M-10C
	DR1RFS 140 mm / DR4RFS 170mm R/MX1/MX3/VISA/OG/5 Star	13	-	R-200	R-100	10	-	LUX-D51	R-3000				
		14	_	_	R-200	11	-	LUX-D51	R-5000	6	R-400	R-200	M-200
		15	-	_	-	12	_	LUX-D51	R-8000				
			-	-	-	13	_		R-12000	7	R-800	R-400	R-200
					I			_					
U	RESIN BOND DIAMOND	1	EPOXY FILLING: SURIEPOX 2001/2002/ 2004/2121		14	-	-	LUX-D51	8	R-3000 R	R-800	R-400	
	DR1RA 140mm GLOEX BOND 400/800/1500/3000/5000/12000					15	-	-	LUX-D51				<u> </u>
		COLOR CONVERTOR POLISHING AFTER EPOXY			16	-	-	LUX-D51	9 LU	LUX SP.	R-1500	R-800	
					COLOR EPOXY								
		HEAD	9	12	16	HEAD	9	12	16	10		R-3000	D 1200
			HEAD	HEAD	HEAD	NO.	HEAD	HEAD	HEAD	10		K-3000	1200
	EPOXY FILLING	2	R1-ER-1 R-400	R1-ER-1 R-400	R1-ER-1 R-400	1	R1-ER-2	R1-ER-1 OR ER-2	R1-ER-1				R-1500
		3	R-800	R-600	R-600	2	R-400	R-200	R1-ER-2	11	-	LUX SP.	
	M M M M M M M M	4	R-1200	R-800	R-800	3	R-800	R-400	R-400				
	MONTENCE DESCRIPTION OF THE PROPERTY OF THE PR	5	R-1500	R-1200	R-1000	4	R-1200	R-600	R-600	12	-	LUX SP.	R-3000
	RESIN OF THE PROPERTY OF THE P	6	R-3000	R-1500	R-1200	5	R-1500	R-800	R-800				
		7	R-5000	R-3000	R-1500					13	-	-	R-5000
	FICKERT 6G LUX FINAL ABRASIVES	8 9	LUX SP.	R-5000 R-8000	R-2000 R-3000	6	R-3000	R-1200	R-1000				
	MINI/140/170mm	10	-	LUX SP.	R-5000	7	R-5000	R-1500	R-1200	14	-	-	LUX SP
		11	-	LUX SP.	R-8000	8	LUX-D51	R-3000	R-1500				
		12	-	LUX SP.	R-12000	9	LUX-D51	R-5000	R-2000	15		_	LUX SP
			-	-	LUX SP.	10	-	R-8000	R-3000	'3			LOX 31
		14	-	-	LUX SP.	11	_	LUX-D51	R-5000				
Ì	SURFACE FINISH BRUSHES	16	-	-	LUX SP.					16	-	-	LUX SP
	SILICON CARBIDE, DIAMOND AND WIRE BRUSH		/TRUKOLO	I Or/Cera L		12	-	LUX-D51	R-8000		WAX	COAT	I
	1123.				mig	13	-	-	R-12000		7		
			100	DEAR ST	HOOD	14	-	-	LUX-D51	S	URIE SI	quid	City City
	THE THE STATE OF T	ANT	-		(gride)	15	-	-	LUX-D51	SHI	NEB	E	111111
				-		16	-	-	LUX-D51	Tecta National	MATE AND ADDRESS OF THE PARTY O		
L							I	I	I	I			



GRANITE POLISHING















GRANITE POLISHING APPLICATIONS-8" PLATES



9 12 16 HEAD HEAD HEAD

M-36 M-36

M-50 M-50

M-100 M-50 M-50

M-200 M-100 M-50

R-400 M-200 M-100

R-800 _{R-400} M-200

R-3000 R-400 R-400

BUFF R-1500 R-400

R-800 R-400

R-3000 R-800

BUFF R-1500

R-800

R-3000

- R-3000

BUFF

8" PLATE GRANITE LPM SERIES		LP	M-GR POLI	ANITE SHIN(D	
METAL BOND DIAMOND GRINDING PLATES	GRIN	DING B	DIRECT POLISH			_		
DMSP-200mm DMSP-210mm-C	HEAD	9	12	16	HEAD	9	12	<u></u>
	NO.	HEAD	HEAD	HEAD	NO.	HEAD	HEAD	HE
	1	M-50	M-36	M-36	1	M-50	M-36	M-
	2	M-50	M-36	M-36				
	3	M-100	M-50	M-50			50	Ī.,
	4	M-100	M-50	M-50	2	M-50	M-50	M-
	5	M-200	M-50	M-50				\vdash
	6	M-200	M-100	M-100	3	M-100	M-50	M-
- वि	7	M-400	M-100	M-100				
RESIN BOND DIAMOND POLISHING PLATES	8	M-400	M-200	M-100	4	M-200	M-100	M
DRP-R-200*18mm DRP-MX1-200*18mm DRP 8EP-200*12mm	8 9	R-200	M-200	M-200				
ALVALA.	10	-	M-400	M-200				
AND	11	-	M-400	M-400	5	R-400	M-200	M-
DAVA SUBSTITUTE	12	-	R-200	M-400				\vdash
5000-500-XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	13	-	-	R-200	. 6	R-800	R-400	M-:
	14	-	-	-				
STONE STONE STONE	15	-	-	-	7	R-3000	R-400	 R-∠
	16	-	-	-	_ ′		R-400	
SURIEPOX SURIEPOX SURIEPOX SURIEPOX SURIEPOX SURIEPOX	EPOXY FILLING: SURIEPOX 2001/2002/ 2004/2121 COLOR CONVERTOR				8	BUFF	R-800	R-4
2001 2001 2004 2004 2121 2121 COLOR COLOR EPOXY RESIN CONVERTER CO	POLISHING AFTER EPOXY					BUFF	R-1500	R-4
Tax to the second section of the second sect	HEAD NO.	9 HEAD	12 HEAD	16 HEAD	10	-	R-3000	R-8
LUV DUPPING DI ATEC	1	R-200 AP	R-200 AP					
LUX BUFFING PLATES	2	R-400	R-400	R-400	11	_	BUFF	R-8
BLACK & WHITE BUFF-200mm	3	R-800	R-400	R-400	''			
	4	R-800	R-800	R-800				Г
	5	R-1500	R-800	R-800	12	-	BUFF	R-1
	6	R-3000	R-800	R-800				\vdash
	7	R-3000	R-1500	R-1500	13	-	-	R-3
	8	BUFF	R-1500 R-3000	R-1500 R-1500				
	10	-	R-3000	R-3000	14	_	_	R-3
	11	-	BUFF	R-3000	'-			
	12	-	BUFF	R-3000				Г
BRUSH PLATES FOR TEXTURED FINISHES	13	-	-	BUFF	15	-	-	BL
DIAMOND AND ANTIQUE BRUSH-200mm	14	-	-	BUFF				\vdash
DICOTT ZOOMIN	15	-	-	BUFF	16	-	-	BL
	16 ANTI	- Q/TRUK	- (OLOR/	BUFF CERA		WAX	COAT	
	510	LIQI	(OLOR/ UIDA					567



DFME-C







DFME

















DFMRW-M0





DFRC











FRANKFURT MAGNESITE BOND/SILICATE CARBIDE ABRASIVES FT MAG FV MAG & FVH MAG FD MAG



FB SYN













FRANKFURT SYNTHETIC BOND ABRASIVES







CRYSTALLIZATION AND BUFFING ABRASIVES



F-5X HARD, MEDIUM, SOFT







FRANKFURT BRUSHES & BUSH HAMMER FOR TEXTURED FINISHES















FRANKFURT POLISHING APPLICATIONS



FOR GRANITE			FRANKFURT MARBLE LPM SERIES							
FLOOR	FOR MARBLE	FLOOR	DIRECT POLISH MARBLE							
DFHMRA	DEMRW-	METAL BOND DIAMOND	FRANKFURT MAGNESITE BOND	HEAD NO.	12 HEAD	16 HEAD	20 HEAD			
GH-100/ 200		MOK	36, 46, 60, 120	20, 24, 30, 36, 46	1	M-80	M-46	M-36		
		DELADA /	00, 40, 00, 120	20, 24, 00, 00, 40	2	R-60	M-60	M-46		
DFRC R-200/	B/C-M	DFMRA/ B/C-M1SS			3	R-100	M-80	M-60		
R-200/ 200AP		OR DCRF 60	A DEWE DEV	AE-C	4	R-200	M-120	M-80		
		7U2/5U1			5	R-400	R-60	M-120		
SURIEPOX ²		URIEPOX*	SUR	IEPOX [®]	6	R-800	R-100	R-60		
2001	1080	1090			7	R-1200	R-200	R-100		
					8	R-1500	R-400	R-200		
FB 2M		DCRF 7U2/ 5U1-100	Total Marian Mar		9	R-3000	R-600	R-400		
2М	440000			accurate the second	10	5X	R-800	R-600		
			11	5X	R-1200	R-800				
DFRC	DINC REGILA DOLLA		12	6M	R-1500	R-1000				
R-400			DIAMOND DIAMOND	DIAMOND-G	13	-	R-3000	R-1200		
			100, 200, 400, 800,	100, 200, 400, 800,	14	-	5X	R-1500		
	MARBLE S	STAR	1000, 1500, 3000	1000, 1500, 3000	15	-	5X	R-3000		
DFRC R-800				16	-	6M	R-5000			
K 000				17	-	-	5X			
	FB/FA/		1	18	-	-	5X			
DFVRA	and the same	FV 3	RESIN BOND DIAMOND	DFB RESIN BOND DIAMOND	19	-	-	5X		
R-1500			3000, 5000, 8000,	500, 1000, 2000, 3000, 5000,	20	-	-	6M		
	MARBLE STAR PLUS		DIRECT POLISH STONES							
DFVRA				24	HEAD NO.	12 HEAD	16 HEAD	20 HEAD		
R-3000		/ /			1	M-80	M-36	M-36		
		FB/FA/ FV 4	DFVRA	DFTRA	2	R-60	M-46	M-46		
			,,,,,,,	E () \ DUE	3	R-100	M-60	M-60		
DFVRA P-5000			FZ-5X / 10X ACID POLISH	F-6M BUFF CLEANER	4	R-200	M-80	M-80		
		FB/FA/ FV 5			5	R-400	M-120	M-120		
				6	R-800	R-60	R-60			
F-6G					7	R-1200	R-100	R-100		
F-0G		FZ/FZS 5X/ 6X/7X/10X			8	R-1500	R-200	R-200		
				_	9	R-3000	R-400	R-300		
GLOEX CREAM			FRANKFURT	Frankfurt Diamond	10	6PR	R-800	R-400		
	STAINI	EX	SiC ANTIQUE BRUSH	BRUSH	11	6PR	R-1000	R-800		
					12	6M	R-1500	R-1000		
SKA	and Sec.				13	-	R-3000	R-1200		
CREAM 4100		F-6M BUFF (CLEANER)	接着金融基件	MARRIADA	14	-	6PR	R-1500		
		(CLLAINEK)		15	-	6PR	R-3000			
	A	-0		PER	16	-	6M	R-5000		
			The line	*	17	-	-	6PR		
		- 6		No.	18	-	-	6PR		
		ALIE		19	-	-	6PR			
			>		20	-	-	6M		



EDGE POLISHING ABRASIVES 4-5-6"







EDGE POLISHING & CHAUKHAT (DOOR FRAME) POLISHING ABRASIVES FOR LINE POLISHER & HAND POLISHER





EDGE POLISHING ABRASIVES, SNAIL LOCK ADAPTERS & HOLDERS IN 25, 50, 80, 100, 125 & 150 mm
IN RESIN BOND, METAL BOND DIAMOND ABRASIVES & LUX
FOR HIGH GLOSS FINISHING OF EDGES, CHAMFERS & DOOR FRAMES (CHAUKHAT)
FOR HAND POLISHERS & EDGE LINE POLISHERS

	TOR HARD FOLISHERS & EDGE LINE FOLISHERS									
1" (25 mm)	XD 60									
2" (50 mm)	SURIE SURIE SURIE XD 200 XD 200 XD 200 XD 2000									
3" (80 mm)	SURIE SURIE SURIE SURIE SURIE SURIE SURIE SURIE SURIE									
4" (100 mm)										
5" (125 mm)										
6" (150 mm)										

ONLY RESIN BOND DIAMOND PADS CAN BE SUPPLIED WITH VELCRO. VELCRO ADAPTER AVAILABLE



FLEXIBLE & RIGID RESIN BOND DIAMOND PADS 1-2-3-4-5-6-7-8"







FLEXIBLE & RIGID RESIN BOND DIAMOND PADS 1-2-3-4-5-6-7-8"







CONCRETE GRINDING & POLISHING ABRASIVES & TOOLS SERIES



CONCRETE GRINDING DIAMOND TOOLS FOR SURIE POLEX MACHINES DSMW OK CHIPS DSMA DSMA PCD SCRAPER **CONCRETE GRINDING DIAMOND TOOLS FOR OTHER MACHINES IN THE MARKET DKQMA**



























NEW


CONCRETE GRINDING METAL BOND DIAMOND PLATES DBP 250mm DK 200/240mm DGP 240mm





DSP 250

CONCRETE POLISHING RESIN BOND DIAMOND PADS





DCRF-7U2-R-XD-CONCRETE



DCRF-6S2-B



DSMA VELCRO ADAPTER

CONCRETE GRINDING ABRASIVES & TOOLS APPLICATIONS



	HOW TO POLISH CONCRETE										
SN	PROCEDURE	ITEM CODE	<u>РНОТО</u>	REMARKS							
1	Grind the floor with Metal Bon 120 grit. For uneven floors also use 36 and 60 grit.	DSMA C-120		A good level is a prerequisite for good uniform final finish. Improper first grinding will lead to a patchy finish.							
2	Grind the floor with Metal Bond 200 grit (Ideal to start with this step on level floors).	DSMA C-200		Minor level differences and the scratches of Metal Bond 200 grit was removed.							
3	Grind the floor with Resin Pad 100 grit.	DCRF-7U2 CONC-100		The 100 Resin is used to remove the scratches of Metal Bond 200 grit.							
4	Grout the floor to repair pinholes and cracks.	Grout Repair	APPEAL	Grouting is done using a mixture of cement, latex,water and concrete dust from the dust collector.							
5	Grind the floor with Resin Pad 200 grit till the floor is scratch free.	DCRF-7U2 CONC-200	•	This step is essential to ensure no scratches remain after Densification.							
6	Apply the Densifer on the concrete floor.	Densi-Hard Lithium Silicate/ Sodium Silicate		Apply with Micro fiber mop and spread uniformly. Apply more in areas where penetration is faster.							
7	Grind the floor with Resin Bond 400 grit.	DCRF-7U2 CONC-400		This step will give a nice smooth finish to the floor. A light gloss appears.							
8	Polish the floor with Resin Bond 800 grit.	DCRF-7U2 CONC-800	O in	A dull shine will appear but the reflection will be sharp. This is essential for sharp final finish. Color and gloss both increase.							
9	Polish the floor with Resin Bond 1500 grit.	DCRF-7U2 CONC-1500	•••	Both color and sharpness improve substantially after this step.							
10	Burnishing with Diamond Flexible Pad DCRF 3000.	DCRF-7U2 CONC-3000	3000	Use the Diamond Pad with a High Speed Burnisher. A high gloss will appear after this step. Reflection will be sharp.							
11	Apply Stain Protector and burnish with White Pad 4100/ 4200 grit.	White Pad & Stain Protectant	Green Control of the	Gives a brilliant high shine and protects the floor from stains.							

NOTE: For finest finish ensure scratch-free surface before application of densifier. After Densification scratch removal is very tedious. Level grinding is not a solution for poor casting of concrete floors. SURIE POLEX recommends dry grinding and dry polishing on concrete. A Dust Collector needs to be used in tandem with the Concrete Grinding machine to ensure best results. Densifiers are applied on dry floors. With dry grinding there is no need to arrange for water or remove sludge. Simply empty the dust collector drum. 28 Days curing

recommended for concrete floors for best result. Contact us for technical queries

Today laying of a concrete floor, keeping in mind that flooring constitutes about 25% of the cost of the project, has become very scientific. Very efficient methods have been developed and continue to be developed to obtain a long lasting surface which provides for all material movements without damage to material handling equipment. As the level of robotisation increases, the importance of the concrete floor will increase. So please consult concrete flooring experts before budgeting for your flooring in your Warehouse, Factory or Institution. An initial higher cost will be compensated by major savings over the years.

	HOW TO DYE & POLISH CONCRETE									
SN	PROCEDURE	ITEM CODE	<u>РНОТО</u>	<u>REMARKS</u>						
1	Grind the floor with Metal Bond 120 grit. For uneven floors also use 36 and 60 grit.	DSMA-C-120		A good level is a prerequisite for good uniform final finish. Improper first grinding will lead to a patchy finish.						
2	Grind the floor with Metal Bond 120 grit (Ideal to start with this step on level floors).	DSMA-C-200		Minor level differences and the scratches of Metal Bond 120 grit was removed.						
3	Grind the floor with Resin Pad 100 grit.	DCRF-7U2 CONC-100		The 100 Resin is used to remove the scratches of Metal Bond 200 grit.						
4	Grout the floor to repair pinholes and cracks.	Grout Repair	ERBUT REPAIR	Grouting is done using a mixture of cement, latex, water and concrete dust from the dust collector.						
5	Grind the floor with Resin Pad 200 grit till the floor is scratch free.	DCRF-7U2 CONC-200		This step is essential to ensure no scratches remain after Densification.						
6	Apply the Densifer on the concrete floor.	Densi-Hard Lithium Silicate/ Sodium Silicate		Apply with Microfiber mop and spread uniformy. Apply more in areas where penetration is faster.						
7	Grind the floor with Resin Bond 400 grit.	DCRF-7U2 CONC-400		This step will give a nice smooth finish to the floor. A light gloss appears.						
8	Apply the first coat of Surie Polex Color Dye (on hard concrete apply 1st coat before densifier.)	Surie Polex Color Dye. see color chart for all colors.	ALTERNATION OF THE PARTY OF THE	Ready to use can be applied with spray or paint roller.						
9	Polish the floor with Resin Bond 800 grit.	DCRF-7U2 CONC-800	<u>:</u>	A dull shine will appear but the reflection will be sharp. This is essential for sharp final finish. Color and gloss both increase.						
10	Apply the second coat of Surie Polex Color Dye.	Surie Polex Color Dye. see color chart for all colors.	ALL AND A STATE OF THE STATE OF	Ready to use can be applied with spray or paint roller.						
11	Polish the floor with Resin Bond 1500 grit.	DCRF-7U2 CONC-1500		Both color and sharpness improve substantially after this step.						
12	Burnishing with Diamond Flexible Pad DCRF-3000 grit.	DCRF-7U2 CONC-3000	3000	Use the Diamond Pad with a High Speed Burnisher. A high gloss will appear after this step. Reflection will be sharp.						
13	Apply Stain Protector and burnish with WhitePad 4100/ 4200 grit.	White Pad & Stain Protectant	GOOD STATE OF THE PARTY OF THE	Gives a brilliant high shine and protects the floor from stains.						





SURFACE PREPARATION TOOLS



SN

SURFACE FINISHES RIVER-ANTIQUE-LITCHI LEATHER-LAPPATO APPLICATIONS

DR1RFS-200

EPOXY RESIN

D-8/1500 DIAMOND BRUSH

18716



NEW **BUSH HAMMERING TOOLS FOR TEXTURED FINISHES**

GRINDING **ROLLER SPIKEY**

GRINDING **ROLLER ABRADE**

GRINDING ROLLER DIA ABRADE

FF GRINDING ROLLER SPIKEY

FF GRINDING **ROLLER ABRADE**

FF GRINDING **ROLLER DIA ABRADE**



BUSH HAMMER

ROLLER





FF BUSH










HAMMER







SILICON CARBIDE BRUSHES FOR ANTIQUE FINISHES














B - BUTTERFLY

DIAMOND BRUSHES FOR TEXTURED FINISHES BCRB & BCRN - CHAMFERING

NEW
















8" BRUSH

















F- FRANKFURT

WIRE BRUSHES CRB - CHAMFERING











CRB - CHAMFERING







ACHIEVABLE ON ALL TYPES OF MACHINES. ABRASIVES AVAILABLE FOR ALL MACHINES Visual Visual STEP **RIVER FINISH - MARBLE** Spray hydrochloric acid with help of a spray bottle. Grinds away the softer portions of the marble to give natural look. D-24/36/46/60 DR1MSA-46/200 DIAMOND BRUSH Removes scratches of D-36.



		of stone surface.
SN	STEP	ANTIQUE FINISH - GRANITE
1	Flame or Bush Hammer	Flame or Bush Hammer the granite. Soft parts of granite get removed and rough texture is obtained
2	Steel Brush	Steel Brush will clear granite surface from any loose particles.
3	S-36	S-36 will smoothen the roughness remaining after # 1 & 2.
4	S-46	S-46 will smoothen the roughness remaining after # 1 & 2.
5	S-60	Rounds off any balance treated portion and makes base for polishing.
6	S-80	Removes scratches of S-60 and makes surface smooth.
7	S-120	Surface becomes smoother and color begins to appear.
8	S-240	Color and sharpness increase.
9	S-320	Color increases and gloss begins to appear.
10	S-500	Gloss increases further.
11	S-1000	Gloss and color are maximized.
12	TRU- KOLOR	Makes stone darker and seals surface. Can also be used for maintenance.
CM	CTED	LICUL LADDATO CDANITE

SN	STEP	LICHI LAPPATO-GRANITE						
1	DR1MSA GKC-36/46/60	For grinding off the polish on granite surface.						
2	DR1MSA- GH-100/G-200	For removing scratch marks of 100 from granite DR1MSA-200.						
3	D-8/12	For smoothning granite surface, essential to darken base D-8/12.						
4	D-8/12	For smoothning granite surface, essential to darken base D-8/12.						
5	D-24	For making granite rough for leather finish. Use extensively for good result.						
6	D-36	Removes scratches of D-36.						
7	D-46	Makes stone clear from D -36, 46 marks & giving proper shape to roughness.						
8	D-60	Removes scratches of D-60 and makes surface smooth.						
9	EPOXY	For gluing & filling of natural stones.						
10	DR1RFS-R-400	Surface becomes smoother and color begins to appear.						
11	DR1RFS-R-800	For extra color at Final Stage						
12	DR1RFS-R-1500	Color and sharpness increase.						
13	DR1RFS-R-3000	Color increases and gloss begins to appear.						
14	DR1RFS-R-5000	Gloss increases further.						
15	R1U-S6M-LUX	Gloss and color are maximized.						
20	ANTIQ/ TRUKOLOR	Makes stone darker and seals surface. Can also be used for maintenance.						

S-36 TO 1000 ANTIQUE BRUSH













DR1RFS-200





DR1RFS-200



R1U-S6M-LUX



R1U-S6M-LUX LHTEG DARKENER & SEALER

SN **STEP LEATHER FINISH - GRANITE** DR1MSA For grinding off the polish on granite GKC-46/60 For removing scratch marks of 100 from granite DR1MSA-200. DR1MSA 2 GH-100/G-200 For smoothning granite surface, essential to darken base D-8/12. D-8/12 For smoothning granite surface, essential D-8/12 4 to darken base D-8/12. For making granite rough for leather finish. Use extensively for good result. 5 D-24 6 D-36 Removes scratches of D-36.

	6	D-36	Removes scratches of D-36.
	7	D-46	Makes stone clear from D -36, 46 marks & giving proper shape to roughness.
	8	D-60	Removes scratches of D-60 and makes surface smooth.
	9	EPOXY	For gluing & filling of natural stones.
	10	D-120	Surface becomes smoother and color begins to appear.
	11	D-220	For extra color at Final Stage
	12	D-240	Color and sharpness increase.
	13	D-320	Color increases and gloss begins to appear.
	14	D-500	Gloss increases further.
	15	D-1000/1500	Gloss and color are maximized.
	16	ANTIQ/ TRUKOLOR	Makes stone darker and seals surface. Can also be used for maintenance.
2	SN	STEP	LAPPATO FINISH - GRANITE
	1	DR1MSA GKC-46/60	For grinding off the polish on granite surface.
	2	DR1MSA GH-100/G-200	For removing scratch marks of 100 from granite DR1MSA-200.
	3	D-8/12	For smoothning granite surface, essential to darken base D-8/12.
	4	D-8/12	For smoothning granite surface, essential to darken base D-8/12.
	5	D-24	For making granite rough for leather finish. Use extensively for good result.
	6	D-36	For making granite rough for leather finish. Use extensively for good result.
	7	D-46	For making granite rough for leather finish. Use extensively for good result.
	8	D-60	Removes scratches of D-60 and makes surface smooth.
	9	EPOXY	For gluing & filling of natural stones.
	10	D-120	Makes stone clear from D -36, 46 marks & giving proper shape to roughness.
	11	D-220	Surface becomes smoother and color begins to appear.
	12	D-240	Color and sharpness increase
	13	D-320	Color increases and gloss begins to appear.
	14	D-500	Gloss increases further.
	15	D-1000/1500	Gloss and color are maximized.
	16	DR1RFS-RDB 800	Makes base for lappato finish by flattening top surface of grantie.
	17	DR1RFS RDB-1500	Pre-polish for top surface.
	18	DR1RFS-RDB 3000	Polish for top surface.
	19	R1U-6GB-S6M	Final finish (high gloss) for top surface like original granite.
2	20	ANTIQ/ TRUKOLOR	Makes stone darker and seals surface. Can also be used for maintenance.
			HAMMER
63	3 6	K3 West	










NON WOVEN PADS









STEP 1- FINE GRINDING 400

STEP 2- SMOOTH GRINDING-800

STEP 3- PRE-POLISH 1500

STEP 4- POLISH 3000

STEP 5- FINE POLISH **BUFF**

MARBLE, GRANITE, WOOD, PU & VINYL

400F

DIAMOND FLOOR PADS

800F

1500F

DCM 400F PRE-POLISH After using this pad the stone will become scratch free.

> DCM 800F PRE-POLISH After using this pad a dull shine appears but reflection is sharp, this is essential for sharp final finish.

> DCM 1500F POLISH After using this pad both color & sharpness improve substantially.

3000F

DCM 3000F FINE POLISH After using this pad we achieve a high gloss finish. Use daily to Maintain high gloss.



		١
COUNT	BLACK STRIPPER PADS	
	FOR HEAVY CLEANING	
7300	CONCRETE, KOTA & MANDANA	
Same	BLUE CLEANER PADS	
	FOR MEDIUM CLEANING	
5300	CONCRETE, KOTA, GRANITE & MARBLE	
	STEEL WOOL PADS	
4(2.0)	FOR BUFFING & POLISHING	




OTHER GRINDING & POLISHING ABRASIVES









DMN 60

DRN60

N60-LUX

T-6M



19 18

T-SYN



GLUES, MASTICS AND ADHESIVES



POLYESTER, EPOXY RESINS & PIGMENTS



MARBLE GLUE TYPES



SOLIDO KRISTAL

Marble glue solido kristal is a thixotropic translucent resin. It can be used for filling, Joints & cracks vertical stone surface. Marble glue kristal is the best gel type resin for white base stone like carrara & michael angelo types of stone. It can be mixed with Surie Polex color pigment for matching any stone





Marble glue solido trasparente is a honey color stone mastic. It is mainly used for honey onyx and similar stones to maintain translucent effect of stone. The bonding strength of this mastic is much more as compared to other prepigmented mastic. After installation. It can be mixed with Surie Polex color pigment to match the color stone.



SOLIDO BIANCO

Marble glue solido bianco is also known as white stone mastic. It is a fast setting marble joint filler and repair resin. Marble glue solido bianco is mainly used for filling joints and big cracks in stone. It can be polished after curing (hardening). It can be mixed with Surie Polex color pigment for matching any stone





Marble glue solido crema is also known as beige/cream stone mastic. It is a fast setting marble joint filler and repair resin. Marble glue solido crema is mainlly used for filling joints and big cracks in stone. It can be polished after curing (hardening). It can be mixed with Surie Polex color pigment for matching any stone shade.

shade. LIQUIDO BIANCO



Marble Clu

SOLANCO

Marble glue liquido bianco is also known as white stone mastic. It is a fast setting marble joint filler and repair resin. Marble glue liquido bianco is used for filling fine joints and pinholes in stone. It can be polished after curing (hardening). It can be mixed with Surie Polex color pigment for matching any stone

LIQUIDO CREMA



Marble glue liquido crema is also known as beige/cream stone mastic. It is a fast setting marble joint filler and repair resin. Marble alue liquido crema is mainly used for filling joints and big cracks in stone. It can be polished after curing (hardening). It can be mixed with Surie Polex color pigment for matching any stone shade.

SOLIDO BLACK



Marble glue solido black is also known as black stone mastic. It is a fast setting marble joint filler and repair resin. Marble glue solido black is mainly used for filling joints and big cracks in stone. It can polished after curing (hardening). It can be mixed with Surie Polex color pigment for matching any stone shade.

MARBLE GLUE CLEAR




Marble glue clear is a thixotropic translucent high viscosity marble glue. It is an ideal glue for joining all types of stones. It can be mixed with Surie Polex color pigment to obtain desired shade to match the color stone. Marble glue can be used on vertical areas for filling cracks, pin holes of the marble.

PREMIUM POLYESTER RESIN TRANSPARENT RESIN

POLYESTER RESINS

Transparent Resin is a clear low viscosity Resin T-9 is a premium water clear transparent polyester resin that is used to repair defects in resin. It is used for filling & glueing of natural marbles and stones likes cracks and pits. It is completely transparent and water clear and is ideal for filling small and big cracks and holes. the color chart below .







AVAILABLE SHADES

PIGMENT PASTE AND SHADES

BUTTON WHITE

IVORY

PIGMENT PASTE

SURIE POLEX Opaque Pigment Pastes are highly concentrated and easy to disperse. It blends well into any type of resin. It can also be used with Marble Glue, Polyester Resin, and Epoxy Resin and it's 50+ Shades are available in 50g & 100g.



Below colours are digital representation, actual colours may vary.



GOLDEN BROWN

ROSE PINK

DA GREY



COFFEE BROWN



T P YELLOW





BASE WHITE

ROYAL CREAM

T P RED



PALE GREY

SUPER WHITE

CREAM



OFF WHITE

GOLDEN YELLOW

MAHOGANY

SPECIAL GREY



BRIGHT BLUE





CLEAR EPOXY

EPOXY RESINS AND GELS





PREMIUM TRANSPARENT EPOXY

SURIEPOX 1002 is a premium transparent epoxy resin designed to fill cracks and pinholes in marble. It's very low viscosity allows it to penetrate deep and fill very thin cracks. The high bonding power of this epoxy resin ensures long term performance.

ART & GEL EPOXY



SURIEPOX 1020 ART EPOXY

SURIEPOX 1020 Art Epoxy Resin is a crystal clear resin system which is specially designed for coating, casting and lamination applications. It is ideal for making river tables, coating wood, resin flow art, geode art, jewellery making etc.

SURIEPOX **EPOXY RESIN**

SURIEPOX 1080 EPOXY RESIN

SURIEPOX 1080 is a two component epoxy resin system which is used for closing and filling cracks and larger pores. It hardens quickly. SURIEPOX 1080 is highly penetrative, medium viscosity. It is also used in stone industry for strengthening fissured stone



SURIEPOX 5030 EPOXY GEL

SURIEPOX 5030 is a Gel Epoxy for joints & cracks. It can be used on joint white and colored marble. It can be mixed with different pigment shades to match the color.



SURIEPOX 1090 EPOXY RESIN

SURIEPOX 1090 is a low viscosity clear epoxy resin for filling fine hair lines cracks and pinholes. It comes in 2:1 ratio. It can be mixed with Surie Polex color pigments for matching the color of stones. This water like clear epoxy resin is easy to apply. It penetrates into fine pinholes of marble. It is polishable after it hardens (cures).



SURIEPOX 5040 EPOXY GEL

SURIEPOX 5040 is a Gel Epoxy for joints & cracks. It can be used on joint white and colored marble. It can be mixed with different pigment shades to match the color. Made In Italy.



SURIEPOX 2004 GRANITE EPOXY

SURIEPOX 2004 is a transparent epoxy resin designed to fill cracks and pinholes in granite slabs. It's low viscosity allows it to penetrate deep and fill very thin cracks. The high bonding power of this epoxy resin ensures long term performance.



COLOR CONVERTERS

SURIEPOX Color Converters specially designed to convert the color of granite, marble and stone. It is highly concentrated and easy to disperse. It blends well into epoxy resin and it's 20+ shades are available in 1kg pack.



POLISHING POWDERS, **CREAMS AND LIQUIDS**



MARBLE, GRANITE & STONE POLISHING POWDERS & LIQUID



SP-9 MARBLE CRYSTALLIZER

SP-9 is a high gloss crystallizer that is used for the polishing & maintenance of Marble, Limestone, Terrazzo and other calcareous surfaces. Use with a white pad & any single disc machine. It provides a high gloss and excellent shine.



GLOEX CREAM

It is a water-based cream polish for use on granite, vitrified and porcelain tiles, quartz and silica based floors, green marble and sandstone. It does not contain any wax. It chemically reacts with the floor to produce a brilliant shine. It also seals the pores and prevents accumulation of dust on the surface. Gloex Cream can be used at the end of the floor polishing process to renew old worn out floors and is used directly for regular maintenance.



MPZ MARBLE CRYSTALLIZER

Use for the polishing & maintenance of Marble & Limestone floors. Use with a white pad & any single disc machine. The product provides a high gloss on marble and other calcareous stones. By crystallizing marble floors, they get more wear resistant and the acid sensitivity is reduced. Can also be used to re-crystallize high traffic areas of previously treated floors.



Z-XTRA POLISHING POWDER

This high shine polishing powder protects calcareous natural stone floors (e.g. marble, travertine, limestone) and achieves a mirror-like shine. It reduces water penetrability thus facilitating daily cleaning. It provides the high shine for dull, traffic-worn marble and other calcareous stone floors



Z-XTRA PLUS MARBLE CRYSTALLIZER

It is a high gloss marble polishing powder that protects calcareous natural stone floors (e.g. marble, travertine, limestone) and achieves a mirror-like shine. It reduces water penetrability thus facilitating daily cleaning. It provides a brilliant high shine to dull, traffic-worn marble and other calcareous stone floors.



GLAZE-M

Use for buffing of all calcareous stones. Used with a red/white pad/woolen felt. The product provides a high gloss on marble/calcareous stones. It is a mild crystallizer and very easy to use for a



GLOEX POWDER

It is a high gloss polishing powder for marble and other calcium carbonate based stones. It is also use on mosaic/terrazzo. Our most premium offering, it has the best result on all marble floors.



GLAZEX-G

For buffing of all stones. Used with a red/white pad/woolen felt the product provides a high gloss on marble/ calcareous/non-calcareous stones. It is not a crystallizer. Can also be used after a increase the sharpness of the polished surface



N2-ZX MARBLE CRYSTALLIZER

This high shine crystallisation powder protects calcareous natural stone floors (e.g. marble, travertine, limestone) and achieves a mirror-like shine. It reduces water penetrability thus facilitating daily cleaning. It provides the high shine for dull, traffic-worn marble and other calcareous stone floors.



SP-1 LIQUID CRYSTALLIZER

Used for the regular maintenance of marble & limestone floors. Used with a steel wool pad/white pad and a single disc machine. The product provides a high gloss on marble and other calcareous stones. By crystallizing marble floors, they get more wear resistant and the acid sensitivity is reduced. Can also be used to re-crystalize traffic areas of previously treated floors.



PENETRATING SEALERS



STAIN REPELLENT SEALERS



STAINEX

Stainex is a solvent-based, deep penetrating sealer that offers maximum protection against dirt, oil & water based stains on absorbent substrates such as sandstone, concrete, marble, granite, limestone etc. It allows moisture vapor transmission and is UV resistant. It may be used for interior and exterior applications.



STAINEX WB

It is a premium, water-based, deep penetrating sealer that offers maximum protection against dirt, oil & water based stains on absorbent substrates such as sandstone, concrete, marble, granite, limestone etc. It allows moisture vapor transmission and is UV resistant. It may be used for interior and exterior





STONE SEALER

It is a premium solvent based, naturallook penetrating sealer for the protection of natural and artificial stone. The product protects the stone from oil and water based stains, without altering the natural color of the surface. It evaporates immediately allowing the surface to remain as natural as



QUARTZ SEALER

Quartz Sealer is a solvent-based sealer that deeply penetrates engineered quartz and composite stones, providing long-lasting protection against dirt, oil and water-based stains. It is UV resistant, allows moisture vapour transmission, and requires less frequent reapplications than water-based

COLOR ENHANCING SEALERS



ANTIQ

It is an wet look wet-effect treatment to revive the natural color of the stone, for tumbled marble and pebbles which look like they have been bleached. Ideal to improve the look of polished or unpolished stones, to reach desired effect in almost all circumstances. Good protection against all types of dirt and good hydro-oil repellent effect. The product does not turn yellow & has good resistance to wear



STONE DARKENER

It is a solvent-based color reviving treatment. It is transparent, impregnating and cross-linking for marble, travertine, stones, granite with rough, sandblasted, brushed, flamed or polished finish. Generally applied when the stone is discolored. The product lends an excellent degree of waterrepellency as well. The surface thus protected resists for a long time to the aggressive action of acid rains, atmospheric agents and UV rays.



TRUKOLOR

Trukolor is a color enhancing sealer. It intensifies the natural color and structure of stones. It also protects against water and dirt. It has excellent weather resistance and durability. It is suitable for indoor and outdoor use. It allows moisture vapor transmission.



TRUKOLOR A-180

Trukolor A-180 is an economical color enhancing sealer. It intensifies the natural color and structure of stones. It also protects against water and dirt. It has excellent weather resistance and durability. It is suitable for indoor and outdoor use. It allows moisture vapor transmission



LIQUID SHINER

Ageing Look is a solventbased, wet-effect color reviver for marble, granite, and other stones. It enhances color, protects against acid rain, weather, and UV rays, and is suitable for all finishes.



PENETRATING SEALERS



WATER REPELLENT SEALERS



BOTTOM SURFACE SEALER PROFESSIONAL SERIES

Bottom Surface Sealer is a specially formulated water based deep penetrating sealer that is applied to the back side of the stone/tile. It prevents moisture and alkali from entering the stone/tile from below. As a result efflorescence and surface discoloration are avoided. It may be used for both interior and exterior application.



SANDSTONE SEALER-XP

It is a premium, solvent-based deep penetrating sealer that gives excellent water and dirt repellency on absorbent substrates such as sandstone, concrete, travertine, marble, granite, limestone etc. It allows moisture vapor transmission and is UV resistant. It may be used for interior and exterior applications



BOTTOM SURFACE SEALER

Bottom Surface Sealer is a specially formulated solvent-based deep penetrating sealer that prevents moisture from entering the stone from below after it has been laid. It may be used for interior and exterior application.



SANDSTONE SEALER-WZ

It is a premium, water-based deep penetrating sealer that gives excellent water and dirt repellency on absorbent substrates such as sandstone, concrete, travertine, marble, granite, limestone etc. It allows moisture vapor transmission and is UV resistant. It may be used for interior and exterior applications.



MULTI PURPOSE SEALER

It is an economical, solvent-based, deep penetrating sealer that gives excellent water and dirt repellency on absorbent substrates such sandstone, concrete, travertine, marble granite, limestone etc. It allows moisture vapor transmission and is UV resistant. It may be used for interior and exterior applications.



SANDSTONE SEALER-H20

H2O is an economical, water-based penetrating sealer that gives excellent water and dirt repellency on absorbent substrates such as sandstone, concrete, travertine, marble, granite, limestone etc. It allows moisture vapor transmission and is UV resistant. It may be used for interior and exterior applications.



GROUT SEALER

It is a premium, solvent-based, deep penetrating sealer that offers maximum protection against dirt, oil & water based stains on cement joints for ceramic tiles, vitrified tiles and natural stone. It allows moisture vapor transmission and is UV resistant. It may be used for interior and exterior applications.



STAIN PROTECTOR CONCENTRATE

It is a breathable partly penetrating and partly film-forming sealer for concrete floors that helps to protect surfaces against stains and etching.



DENSIFIERS & HARDENERS



SURIE POLEX

SHINERS AND WAXES



MARBLE DENSIFIERS

DENSI-HARD MARBLE PREMIUM MARBLE DENSIFIER

DENSI-HARD® MARBLE

It is a premium marble densifier. It is a specially formulated water-based liquid that penetrates into the marble and solidifies to make the marble hard and dense. The process of densification makes the marble more durable and abrasion resistant. It doesn't form a film and marble retains its natural look and color. This process is recommended for all types of marble floors.

CONCRETE DENSIFIERS



<u>DENSI-HARD</u>® <u>LITHIUM SILICATE</u>

It is a specially formulated Lithium Silicate densifier that is a deep penetrating product for concrete and terrazzo floors. It helps achieve a hard surface that is easy to grind and polish. Its deep-penetrating, non-soluble characteristics provide longer life and higher reflectivity, helping reduce floor maintenance cost. This environmental friendly treatment reduces efflorescence, improves overall abrasion resistance and reduces dusting. It helps reduce costly wear and damage to diamond abrasives.

MARBLE STAR PLUS MARRIE DENSIFIER LETHIUM SELECATE RASE TURN MUCHE PERFECUENCE MUCHE PER

MARBLE STAR PLUS

It is a Lithium Silicate based marble hardener. It penetrates into the marble and reacts with the marble to form calcium silicate hydrate which fills the pores of the stone. Not only does this reduce the porosity but also leads to enhanced shine and longevity of polish.



DENSI-HARD® LS+

It is a lithium-based deep penetrating densifier for concrete. It penetrates into the pores of concrete. It increases the abrasion resistance of the surface. It increase the gloss and reflection when polished. It decreases the maintenance cost of concrete floors. It penetrates into the pores of concrete. It increases the abrasion resistance of the surface.



MARBLE STAR

Marble Star densifier penetrates into the marble and reacts with the marble to form compounds which expand and fill the pores in the stone. Densification makes the marble harder and denser. Not only does this reduce the porosity but also leads to enhanced shine and longevity of polish.



DENSI-HARD® SODIUM SILICATE

It is a specially formulated Sodium based shallow penetrating product for concrete and terrazzo floors. It helps achieve a hard surface that is easy to grind and polish. Its shallow-penetrating, non-soluble characteristics provide longer life and higher reflectivity, helping reduce floor maintenance cost. This environmental friendly treatment reduces efflorescence, improves overall abrasion resistance and reduces dusting. It helps reduce costly wear and damage to diamond abrasives.

GLOEX 200 MARBLE DENSIFIER & HARDENER



Specially formulated densifier to be used after DCRF 200 or FB 2M on imported stones. Penetrates deep in the stone given it a harder & denser surface for long lasting polish life.

GLOEX 800 MARBLE DENSIFIER & HARDENER



Deep penetrating fast reacting marble densifier to be used after DCRF 800 or FB 3 Number Special formula that makes stone harder & stronger. Helps improving the final gloss of the stone.

TUFF STONE



Stone Strengthener is a highly penetrating single component product used to solidify absorbent mineral natural stones, mosaic/terrazzo, mineral plaster etc. It is weather resistant and non-yellowing. It does not change the appearance of the surface and allows moisture vapor transmission

SHINER



This is a high quality wax-based shiner used for polishing edges, moldings & skirtings. It gives high gloss when used with final buff or white pad. Suitable for indoor & outdoor application.

WAX POLISH

SOLID WAXES/SHINERS

quality solid wax with exceptional polishing and protective power, due to the extremely high quality of raw materials used in its preparation. It is ideal for final buffing and gives a super-gloss finish. Wax Polish also provides a slight antistain and water repellent effect. It is used on stone, wood &

This product is a high

CREAM WAX



Cream Wax is a highquality concentrated paste wax for marble, granite, and similar stones. It delivers a super-gloss finish with light anti-stain and water-repellent protection. Suitable for indoor and outdoor

LIQUID WAXES

furniture.

STONE POLISH



It is a premium liquid polishing wax. It is recommended to treat natural stone surfaces. It enhances the brilliant shine look and the natural color of the stones without forming any film. It lets the surface breath avoiding the formation of mould. It can be used on marble, granite, stone & terrazzo.

CERA LIQUIDA



It is a premium liquid polishing wax. It is recommended to treat natural stone surfaces. It enhances the brilliant shine look and the natural color of the stones without forming any film. It lets the surface breath avoiding the formation of mould. It can be used on marble, granite, stone & terrazzo.

LIQUID WAX



It is a liquid polishing wax and color enhancer and is recommended to treat natural stone surfaces. It gives a brilliant shiny effect and it enhances the natural color of the stones without forming any film. It lets the surface breath avoiding the formation of mould.

GLOSS LIQUIDA



Gloss Liquida is a solvent-based liquid shiner used for obtaining high gloss on marble, granite & stone. For best results apply for final buffing with white pad or steel wool. It gives stone an extra protection and gloss. Can be used for indoor and outdoor applications.

<u>ULTRA LUX</u>



It is a Self Polisher and is ideal to polish and rough the natural color of surfaces. It is recommended to polish corners, walls and all those surfaces difficult to polish mechanically. Apart from enhancing the color of the stone it forms a transparent film on it and can also be used on any rough surface for giving it a high gloss.

MOLDING SHINER



It is a high-quality shiner used to renew/enhance the polish of your stone edge, molding, and skirting. Applied with cotton cloth an edge of stone. Suitable for indoor and outdoor applications.



STAIN REMOVERS



STONE CARE CLEANERS



RUST & STAIN REMOVERS

SCALE REMOVERS

SURIE RUST REMOVER

RUST REMOVER

Rust Remover is a ready to use acidbased cleaner that removes rust spots and stains from all acid tolerant hard stones. Special additives reduce the development of rust after treatment. Suitable for polished surfaces.



GRANITE TILE CLEANER

Granite tile cleaner is a cement film remover used after the installation of granite or tile on the floor. Granite Tile cleaner removes left over cement grout from the floor. This cleaner retains gloss and shine of the floor without harming the aranite or tile.



MARBLE RUST REMOVER

This is a gel formulation created to remove rust spots on stones surfaces, like calcareous stones, marble, granite, ceramic, terra cotta etc. It does not have an acid Ph, hence it is ideal to be applied also on polished stones without the issue of damaging the polished surface and protecting the surface shine. It works quickly absorbing the rust without long applications. It can be used also on



MARBLE & GRANITE SCALE REMOVER

Marble & Granite Scale Remover is formulated using special chemicals that are safe and removes all the stains which are developed due to the hardness of water, which eventually makes the marble & granite turn dull. The cleaner retains the natural look of the stone without affecting the texture of the material.



ORGANIC STAIN REMOVER

Water-based paste designed to remove almost all stains caused by food fats, industrial fats, oils, coffee, etc. from stone materials. It deeply absorbs stains, even the most resistant ones, without affecting the polish of the treated stone without leaving streaks. It can also be used to eliminate traces of salt, saltpeter and humidity.



TAP & TILE SCALE REMOVER

Tap & Tile is a specially formulated cleaner for cleaning tiles, taps, glass, plastic and chrome plated items. Tap & Tile is the best available cleaner for cleaning soap marks and hard water stains from tiles, taps etc. This is a complete washroom cleaning solution. For best results just spray and wipe.



EPOXY GROUT FILM REMOVER

Epoxy Grout Film Remover is a unique product designed for the removal of epoxy grout film from tile, concrete and stone surfaces. It will eliminate most residue left behind after an epoxy grout Film Remover has been used. In addition, Epoxy Grout Film Remover will remove a variety of epoxies, acrylic, shellac, varnish and lacquer.



FIBER NET REMOVER

It is a specially developed cleaner for removing fiber net from the back side of marble and stone slabs before they are laid on the floor.



SPECIAL CLEANERS

FLOOR CLEANERS



FLOOR CLEANER NEUTRAL

Floor Cleaner is highly concentrated pH balanced cleaner. Can be used for regular maintenance of marble, granite, stone and tile. Maintains high gloss on floor, can be used with regular mop with scrubbing machine. pH balance ensures no residual



TILE & CERAMIC CLEANER

Tile & Ceramic Cleaner is ideal for cleaning tiles and ceramic surfaces. It may also be used on taps, glass, plastic and chrome plated items. Tile & Ceramic Cleaner has a rapid cleaning action and does not require long application periods.



FLOOR CLEANER HEAVY DUTY

Floor Cleaner Heavy Duty is a concentrated oil and grease stain remover. This is a citrus fragrance product which does not contain any harmful chemical, is ideal for the quick and effective cleaning of greasy and oily surfaces



FLOOR SHAMPOO

Floor Shampoo is a specially formulated cleaner with polishing additives that not only cleans marble floors but also increases a nice shine. It can be used at the end of the polishing process to give extra shine to the floor and it can also be used as a daily floor cleaner.



MARBLE CLEANER

Marble Cleaner is formulated using special chemicals that are safe and removes all the stains which are developed due to the hardness of water, which eventually makes the marble turn dull. The cleaner retains the natural look of the stone without affecting the texture of the material.



DISH WASHING LIQUID

Dishwashing Liquid is a concentrated cleaner for utensils. Its lemon power formulation removes all the stains and dirt from utensils. It smell refreshing and is soft on hands.



FLOOR CLEANER PREMIUM

Floor Cleaner Premium is a pH balanced thick concentrated cleaner, best for Italian and other imported marble and stones. Can be used on daily basis with machine or mop. Has special formulation that maintains high gloss on floor. Suitable for marble, granite, tiles etc.



LIQUID HAND WASH

Liquid hand wash is formulated with a pleasant fragrance. Its gives a rich lather and is pH balanced for ensuring maximum softness of your hands.



STONE CARE CLEANERS



SPECIAL CLEANERS



TOILET BOWL CLEANER

Say goodbye to toilet bowl rings with Toilet Bowl Cleaner. It has a thick clinging formula to remove tough stains. You can get rid of grime with a simple squeeze of the bottle with its easy grip shape. Toilet bowl cleaner is the best available cleaner to fight with odors.



OVEN & GRILL CLEANER

Oven & Grill cleaner is used for cleaning heavy oil & grease deposits on tiles, granite, & other hard surfaces. This alkaline base cleaner is the best suitable chemical for cleaning oily & sticky floors like of kitchen, service station & other similar areas. Oven & Grill cleaner can also be used for cleaning chimney, ovens etc.

NEW

NEW



GLASS CLEANER

Glass Cleaner is ideal for quickly removes stains and dirt on windows and electronic appliances. Our product is used to clean TV Screens, Computer Screens, Mirrors, Fridge, and Windows. It offers effective performance and is Non-toxic in nature.



QUARTZ CLEANER

Quartz cleaner is a specially formulated cleaning product designed to effectively and safely clean quartz surfaces. It penetrates into the pores of the quartz surface, lifting dirt and stains without leaving behind streaks or residue. Quartz can accumulate dirt, grime, and stains over time, requiring regular cleaning to keep it looking its best.



CARPET & UPHOLSTERY CLEANER

Carpet & Upholstery Cleaner is a pleasantly scented, concentrated carpet shampoo for intensive cleaning of all types of carpets and upholstery. The consistent dry foam cleans gently yet effectively. Suitable for foam maker machine as well as hand/machine wash.



QUARTZ SPRAY CLEANER

Quartz Spray Cleaners is specifically formulated to remove common household stains, spills, and residues without damaging or dulling the surface of the quartz. It is specially designed with gentle yet effective ingredients that are safe for use on quartz surfaces to prevent etching or dulling of the quartz finish



AIR FRESHENER

Air Freshener is a water-based air freshener featuring a pleasing floral perfume which deodorizes guestrooms, banquet halls and office rooms. Water-based air freshener does not use ozone-depleting CFC. Extremely economical in use. Do not spray directly on the floor. Spray upward into the center of the



HYGIENIC HARD SURFACE CLEANER CONCENTRATE

Hard Surface Cleaner is a specially formulated soap oil that helps to quickly removes stains and dirt and it cleans and sanitizes in one action. Leaves surfaces streakfree. Safe for use on all washable hard surfaces. It's safe on all hard surfaces, 1 Liter makes up to 100 liters of cleaning solution with pleasant room care fragrance.



TOILET BOWL CLEANER

Say goodbye to toilet bowl rings with Toilet Bowl Cleaner. It has a thick clinging formula to remove tough stains. You can get rid of grime with a simple squeeze of the bottle with its easy grip shape. Toilet bowl cleaner is the best available cleaner to fight with odors and kills 99% germs.



GLASS CLEANER CONCENTRATE

Glass Cleaner is ideal for quickly removes stains and dirt on windows and electronic appliances. Our product is used to clean TV Screens, Computer Screens, Mirrors, Fridge, and Windows. It offers effective performance and is non-toxic in nature.



MIRROR POLISH OF CONCRETE, MARBLE AND GRANITE




NOTE: WHY DOES STONE REFLECT LIGHT

Reflection is achieved by polishing surface such that the scratches are appreciably smaller than the wave length of light. If grinding has not created a flat surface, then light will not reflect uniformly and we see white patches on the floor. If grinding is good and polishing is poor the entire surface appears dull (matt finish) and the color of the stone is not fully achieved.

START As laid floor surface. With BOTTOM SURFACE SEALER: Applied to the bottom of lippage and wavey. stone before fixing on floor. It prevents moisture entering from below. 0. LEVEL GRINDING Stone appears dull white. No matter A good level is a prerequisite for good uniform final which color the Stone is. No finish. Improper level will lead to patchy finish. reflection. 1. FINE GRINDING

Minor level difference and scratches of "0" are removed.

Note: Following abrasives do not correct level.



White shade begins to take on the hue of marble color. No reflection.

1A. RESIN & GLUE

For gluing & filling of natural stones.

2. SMOOTH GRINDING

Scratches are very fine. This is the beginning of surface correction.



Whiteness reduces hue is now closer to marble color. No reflection.

2A. SILICATE HARDENING FOR MARBLE & CONCRETE

Penetrates into fine pores of marble, reacts, seals

2A. NOT REQUIRED FOR GRANITE

capillaries and increase polish intensity.

2L. SCRATCH FREE GRINDING

Use 2L/2K to make every stone visibly scratch-free.



Color coming close to natural. Reflection only at steep angle.

3. PRE - POLISH

Dull shine appears but the reflection is sharp. This is essential for sharp final finish.



Colour becomes darker. Reflection angle less steep.

4. POLISH

Both color and sharpness improve substantially.



Colour becomes even darker. Reflection angle even less steep.

5. FINE POLISH

To the uninitiated this finish would to be final finish. Tubelight reflection is clearly visible.



Colour becomes almost natural. Reflection angle almost vertical.

6. CRYSTALLIZATION FOR MARBLE & LIMESTONE

Acid reacts with calcium carbonate of marble to create hard, transparent impervious layer.



6. NOT REQUIRED FOR GRANITE

Colour becomes natural. Reflection angle practically vertical.

7. CLEANER FOR MARBLE

Buffing with white pad or 6M abrasive to achieve higher gloss. Removes extremely minor orange peel effect because of chemical polish.



7. LUX BUFFING FOR GRANITE

Colour remains natural but glossier. Reflection angle vertical.

8. SEALER AS AND WHEN REQUIRED


Soaks into finest pores and seals floors. Water will not be absorbed but moisture can escape from the floor



SINGLE DISC APPLE













Designs of machines are subject to change without prior notice.



Speed- 360rpm

Weight- 135kg

Also available with tank

FLOOR GRINDING AND POLISHING **MACHINES**















Designs of machines are subject to change without prior notice.



CLEANING



AUTO SCRUBBER

WITH BATTERY

Voltage- 240v/50Hz

Tank Clean Water- 40L

Power- 550W

Dirty Water- 40L

Speed- 210 rpm

Weight- 148kg







DUST COLLECTOR

Motor- 5HP, 3Phase Voltage- 415V Vacuum- 300ft3/min Pressure- 300m bar Pipe Dia- 45mm Weight- 170 kg

BLOW DRYER Power- 900W

Cleaning Capacity-1500m2/h

Happer Capasity- 35 L Machine Weight- 25 kg Packed Weight- 32 kg

Voltage- 220V Cable Length-7mtr. Weight- 16.6kg Speed- High-Medium-Low Air Flow Rate-160, 130,110cbm

Weight-69kg Clean Water Tank- 27.8 L

AUTO SCRUBBER DRYER COMPACT

Power-1600W Base Plate Dia- 455mm Suction Width- 770mm Cleaning Capacity- 1820m2/h

Voltage/Frequency- 220v/50HZ Dirty Water Tank- 31.3 L



Designs of machines are subject to change without prior notice.



FLOOR GRINDING AND POLISHING **MACHINES**









HSG-500 GEARED GRINDER

Motor- 10HP, 3Phase Working Width- 480*480mm Speed- 100-1500rpm Weight- 247kg



FG - 250 FLOOR GRINDER

Motor 5HP, 3 Phase Working Width 250mm Speed 1440rpm Weight 82kg



FG - 250 VFD FLOOR GRINDER

NEW

Motor 5HP, 1 Phase Working Width 250mm Speed 0-1440rpm Weight 72kg

NEW



Designs of machines are subject to change without prior notice.




FLOOR GRINDING AND POLISHING **MACHINES**











FPM 400 FLOOR PREPARATION MACHINE





Designs of machines are subject to change without prior notice.




FLOOR GRINDING AND POLISHING **MACHINES**









HSB- 500/430 HIGH **SPEED BURNISHER** Motor- 7.5HP, 3Phase/5HP, 1Phase Working Width- 500/430mm Speed- 100-1500rpm Weight- 162/145kg



BURNISHER Motor- 2HP, 1Phase Working Width- 500mm Speed- 1500rpm Weight- 50kg

HIGH SPEED

Designs of machines are subject to change without prior notice.



TROWEL POLISHING SYSTEM & CONCRETE LAYING MACHINES







PLANETARY POLISHING ATTACHMENT FOR RIDE ON TROWELS



Surie Polex's Planetary Trowel Polishing System is designed for polishing concrete with ride-on power trowels and walk behind power trowels and is ideal for use on large industrial and warehousing projects.

MAIN FEATURES OF OUR TROWEL POLISHING SYSTEM

Speed: Our system is very fast: You can fully polish 10,000 sqft per day per ride-on power trowel. Cost-Effective: There is no need to buy new machines and equipment. You can use your existing power trowel. All you need is one set of our planetary trowel polishing system and diamond pads.

Adaptable: Our Trowel Polishing System is available in various sizes. This allows it to be used with any ride-on power trowel available in the market. Our system will transform your ordinary power trowel into a planetary concrete polishing machine.

Planetary: Our planetary plates are installed on the floating pans. They have bearings which allow for a free/passive planetary movement.

Finishes: You can achieve various finishes: low, medium or high gloss. You can also achieve various grades of aggregate exposure.

Easy: Our system allows for very easy tool changes with our high quality diamond pads. See our "how to polish" chart below.

Balance: Our system provides balanced movement and even tool wear.





RIDE ON TROWEL <u>36" SPRT-236LR</u> LOW RIDER

Model-36" Low Rider Engine- Honda GX690 Working Dia- 1870mm Max Speed- 150rpm Tank: 17L, Weight- 280Kg

PLANETARY TROWEL TOOL HOLDERS & SPARE PARTS





BLADE SETS

CONCRETE LAYING MACHINES



POWER TROWEL Model- QJM-1000 Engine Honda- GX160 Working Width- 915mm Max Speed- 100-140rpm Weight- 83kg



EDGER TROWEL Model- 424E

Engine- HONDA GX160 Working Dia- 610mm Max Speed- 135rpm Weight- 54kg

Designs of machines are subject to change without prior notice.



SPARE PARTS AND ACCESSORIES

FF-CRB VELCRO

ADAPTER






VELCRO ADAPTER

HOOK & LOOP

FF-SHOE

DOUBLE



FF-VELCRO ADAPTER



DSMA VELCRO ADAPTER



DCSRV VELCRO ADAPTER

CRB VELCRO ADAPTER



CRB- COUPLING FLAT



CRB COUPLING



NEW CURVE COUPLING 1, 2 & 3" ADAPTERS



COUPLING

WHEEL

4" ADAPTER







ADAPTER PLATES



SPLASH GUARD ULTIMATE



SPLASH GUARD FLOOR (5 BELT)



SPLASH GUARD NEW (3 BELT)



SPLASH GUARD



T MILKI



HAND POLISHER Working Width





ANGLE GRINDER Working Width 100mm Speed-11000rpm Weight- 2kg



Dimension-170*100*45mm Power- 9V DC Battery

GLOSS METER







CLEANING TOOLS, INDUSTRIAL DUST COLLECTOR PARTS & ACCESSORIES







INDUSTRIAL DUST COLLECTOR MOTORS



AC/DC INDUSTRIAL DUST COLLECTOR MOTOR SCRUBBER DRYFR



AC INDUSTRIAL DUST COLLECTOR MOTOR WET & DRY



AC INDUSTRIAL DUST COLLECTOR MOTOR AMETEK WET & DRY

DUST SCREENS



15L INDUSTRIAL DUST COLLECTOR ACCESSORIES



30L & 60L INDUSTRIAL DUST COLLECTOR ACCESSORIES





CUTTING AND GRINDING WHEELS





FLAP DISC & GRINDING WHEELS FOR METAL AND STONE



FLAP DISC 4"



GOLD GC WHEEL 4"



GC WHEEL 4"



WA WHEEL 4"



DC WHEEL-B SERIES 4"



DC WHEEL-G SERIES 4"



DC WHEEL-G SERIES 5"



DC WHEEL-G SERIES 7"

40

NEW



SAW BLADES & CUP WHEELS









DSB4-CERAMICA DSB4-C1-8mm DSB4-C2-5mm DSB4-TURBO FLAT CUP SPOLEX POLEX MAX RPM 13600 RPM 13600





GRINDING WHEELS & ENGRAVING TOOLS



NEW



FULL ROUND GRINDING WHEEL Available Sizes: 15-20-25-30 & 35mm



HALF ROUND GRINDING WHEEL Available Sizes: 20-25-30 & 35mm





PARALLEL ROUND **GRINDING WHEEL** Available Sizes: 5 & 20mm

ROMAN COLUMN GRINDING WHEEL Available Sizes: 5 & 20mm

V SHAPE GRINDING WHEEL Available Sizes: 5 mm







THE ONE STOP SHOP FOR **EVERYTHING TO POLISH, INSTALL** & MAINTAIN MARBLE, GRANITE, STONE, TERRAZZO, CONCRETE & TILE



DIAMOND POLISHING ABRASIVES



STONE CARE CHEMICALS



FLOOR GRINDING AND POLISHING MACHINES



CUTTING AND GRINDING TOOLS & ABRASIVES



FOLLOW US ON SOCIAL MEDIA













FOR CATALOGUE. CLICK ON QR HERE TO OPEN WEBSITE GO TO DOWNLOADS



HEAD OFFICE

NEW DELHI SURIE POLEX INDUSTRIES LLP

4, LSC, Naraina, Ring Road, New Delhi-110028 INDIA. Tel: +91-11-40776777 Mob: +91-9810119790

BRANCH OFFICE

BANGALORE

SURIE POLEX INDUSTRIES LLP 17/40, 6th Cross, Bannerghatta

Road, Rangadasapa Nagar, Bengaluru (Karnataka)-560030 INDIA. Tel: +91-80-22225700 Mobile: +91-9845222074

TECHNICAL & MARKETING

SUPPORT

Abu Road, Karimnagar, Srikakulam, Ongole, Martur, Chittoor, Warangal, Krishnagiri, Shoolagiri, Igani, Tumkur & Iikal

CLICK HERE TO SEE **OUR DEMO VIDEOS** ON YOUTUBE



OUR **BRANDS**



























Jalore, Kishangarh, Rajsamand,

Contact Us: Tel: +91-11-40776777, Email: sales@suriepolex.com, Web: www.suriepolex.com